


Rolling stock
Overview

Class 395 (Javelin)









Stock routes:

High speed to St Pancras and the High speed rounder


- On Board Managers to provide assistance
- Accessible areas marked by orange above door
- Portable ramps for enabling wheelchair/scooter access. Dimensions of wheelchair/scooter not to exceed 1200mm (48") in length, 700mm(28") wide and 1350mm (53.5") tall.
 There is a combined weight restriction of 300kg
- Automatic aural and visual passenger information displays within each coach
- Two wheelchair spaces with low level passenger communication equipment

- Colour contrasting fittings
- Priority seating
- Tactile surfaces
- Door operation warning sound and light
- Braille and tactile signage
- One wheelchair accessible toilet and one closet toilet in each 6-car unit
- Wide doorways with sliding doors





Class 375 (Electrostar)









- Conductors on board to provide assistance
- Accessible areas marked by burgundy above door
- Portable ramps for enabling wheelchair/ scooter access. Dimensions of wheelchair/ scooter not to exceed 1200mm (48") in length, 700mm(28") wide and 1350mm (53.5") tall. There is a combined weight restriction of 300kg
- Automatic aural and visual passenger

- information displays within each coach
- Two wheelchair spaces with low level passenger communication equipment
- Colour contrasting fittings
- Priority seating
- Tactile surfaces
- Door operation warning sound and light
- Braille and tactile signage
- Wheelchair accessible toilet and closet toilet
- Wide doorways with sliding doors

Stock routes:

Hastings Line via Tonbridge

Chatham Mainline Sittingbourne to Sheerness

Medway Valley Line Tonbridge to Strood


Maidstone East Line from Ashford

Kent Mainline from Ramsgate and Dover





Class 376 (Electrostar)









Stock routes:

Sevenoaks Stopper via Hither Green

Dartford Lines via London Bridge

Hayes Line via London Bridge


- No on board staff
- Accessible areas identified by dark blue above door
- Portable ramps for enabling wheelchair/ scooter access. Dimensions of wheelchair/ scooter not to exceed 1000mm (40") length, 700mm (28") wide and 1350mm (53.5") tall. There is a combined weight restriction of 300kg
- automatic aural and visual passenger information displays

- two wheelchair spaces (One at each end) with low level passenger communication equipment
- colour contrasting fittings
- tactile surfaces
- priority seating
- door operation warning sound and light
- braille and tactile signage
- wide doorways with sliding doors
- no toilets





Class 377 (Electrostar)









Stock routes:

Maidstone East Line from Ashford

Kent Mainline from Ramsgate and Dover


- Conductors on board to provide assistance
- Accessible areas identified by burgundy/ red
- Portable ramps for enabling wheelchair/scooter access. Dimensions of wheelchair/scooter not to exceed 1200mm (48") in length, 700mm(28") wide and 1350mm (53.5") tall. There is a combined weight restriction of 300kg
- Automatic aural and visual passenger

- information displays within each coach
- Two wheelchair spaces with low level passenger communication equipment
- Colour contrasting fittings
- Priority seating
- Tactile surfaces
- Door operation warning sound and light
- Braille and tactile signage
- Wheelchair accessible toilet and closet toilet
- Wide doorways with sliding doors





Class 465 (Networker)









- Conductor on board for mainline routes
- Accessible areas identified by burgundy
- visual passenger information displays
- Portable ramps for enabling wheelchair/ scooter access. Dimensions of wheelchair/ scooter not to exceed 1000mm (40") in length, 700mm(28") wide and 1350mm (53.5") tall. There is a combined weight restriction of 300kg
- two wheelchair spaces with low level passenger communication devices
- braille and tactile signage
- tactile surfaces
- Wheelchair accessible toilet and closet toilet
- colour contrasting fittings
- extra grab handles
- wide doorways with sliding doors

Stock routes:

Chatham Mainline
Gillingham stopper service

Maidstone East Mainline from Ashford

Hastings Line Via Tonbridge

Dartford Line via London Bridge


Hayes Line via London Bridge

Sevenoaks Stopper via Hither Green

Orpington Stopper via Bromley South



Class 466 (Networker)









- No conductor on board to provide assistance
- Accessible areas identified by burgundy
- visual passenger information displays
- Portable ramps for enabling wheelchair/ scooter access. Dimensions of wheelchair/ scooter not to exceed 1000mm (40") in length, 700mm(28") wide and 1350mm (53.5") tall. There is a combined weight restriction of 300kg
- two wheelchair spaces with low level passenger communication devices

- braille and tactile signage
- tactile surfaces
- closet toilet on board
- colour contrasting fittings
- extra grab handles
- wide doorways with sliding doors
- The Class 466 (Networker) ALWAYS operates with a 465 attached. There is no PRM compliant toilet on 466s

Stock routes:

Chatham Mainline
Gillingham stopper service

Maidstone East Mainline from Ashford

Hastings Line Via Tonbridge

Dartford Line via London Bridge


Hayes Line via London Bridge

Sevenoaks Stopper via Hither Green

Orpington Stopper via Bromley South



Class 707 (City Beam)










- Stock routes:
- Dartford Line via London Bridge
- Hayes Line via London Bridge
- Sevenoaks Stopper via Hither Green

- No on-board staff
- Accessible areas marked by orange above door - Two wheelchair spaces within the centre vehicle which is specifically designed for use with ramps and have low level passenger communication equipment
- Portable ramps for enabling wheelchair/ scooter access. Dimensions of wheelchair/ scooter not to exceed 1200mm (48") in length, 700mm(28") wide and 1350mm (53.5") tall. There is a combined weight restriction of 300kg
- Automatic aural and visual passenger information displays within each coach
- Colour contrasting fittings
- Priority seating
- Tactile surfaces
- Door operation warning sound and light
- Braille and tactile signage







Route Maps











